Special Hot Selling Stainless Steel Customized 45mm Rotary Blade Knife **Blade**

Basic Information

. Place of Origin: China Brand Name: Seton CE ISO · Certification: TCT Model Number:

 Minimum Order Quantity: MOQ 10 Pieces • Price: Can be discussed

1pc/wrapper, 100pcs/box, Packaging Details:

100boxes/ctn, Wooden and carbon boxes

• Delivery Time:

L/C, D/A, D/P, T/T, Western Union, . Payment Terms:

MoneyGram

. Supply Ability: 500 Piece/Pieces per Day



Product Specification

• Product Name: 45mm Rotary Blade

TCT Material:

0.01-0.03mm Precision: · Hardness: HRC 45~92 Outer Diameter: 230mm Thickness: 1.1mm • Inner Diameter: 110mm

· Application: Automatic Fabric Cutting Machine

• Highlight: Customized Rotary Blade Knife Blade, Stainless Steel Rotary Blade Knife Blade,

45mm Rotary Blade Knife Blade

Special Hot Selling Stainless Steel Customized 45mm Rotary Blade Knife Blade

Description:

1,Exceptional Wear Resistance

The blades are made with a tungsten carbide material, providing outstanding abrasion resistance.

The enhanced wear resistance helps extend the service life of the blades.

2, Sharp Cutting Edge

The blades feature a specialized coating process that maintains a durable, razor-sharp cutting edge.

The sharp cutting edge improves cutting efficiency and workpiece surface quality.

3,Excellent Thermal Resistance

The tungsten carbide material and coating process give the blades excellent high-temperature tolerance.

This helps the blades resist localized overheating during high-speed cutting operations.

4, Reduced Noise

The corrugated flat blade design effectively minimizes cutting noise.

This reduces operational noise interference, improving the overall work environment.

5, Clean Cut Edges

The superior cutting performance ensures clean, burr-free edges on the workpieces.

This reduces the need for additional finishing operations, improving overall production efficiency.

6, Versatile Applications

These blades are suitable for cutting a wide range of materials, such as paper, plastics, and soft composites.

They can meet diverse cutting requirements across various industries and processes.

Specification	outer diameter	inside diameter	thickness
φ200xφ25.4x2.5	200	25.4	2.5
φ200xφ55x2	200	55	2
φ200xφ25.4x3	200	25.4	3
φ250xφ25x1.8	250	25	1.8
φ250xφ25.4x2.5	250	25.4	2.5
φ250xφ25.4x3	250	25.4	3
φ280xφ25x1.8	280	25	1.8
φ300xφ25.4x2.5	300	25.4	2.5
φ300xφ25.4x3	300	25.4	3
φ300xφ32x3	300	32	3
φ300xφ30.1x3	300	30.1	3
φ350xφ25x2.5	350	25	2.5
φ350xφ32x3	350	32	3
φ350xφ40x3	350	40	3
φ350xφ58x3	350	58	3
φ380xφ25.4x3	380	25.4	3
φ380xφ40x3	380	40	3
φ400xφ25.4x3	400	25.4	3
φ400xφ58x3	400	58	3
φ400xφ60x3	400	60	3
φ450xφ25.4x3	450	25.4	3
φ500xφ40x3	500	40	3
φ550xφ40x3	550	40	3
φ610xφ68.3x3.8	610	68.3	3.8
φ610xφ68.3x4.76	610	68.3	4.76

Application area



Duct tape



Non-woven fabric



Paper tube



Food



Self-adhesive



Aluminum foil



PET film



Stainless steel pipe



Rubber

Processing flow

Enchase



Shipping

Workpiece display

Package delivery



Our Service And Strength

- 1. we have their own patent materials
- 2. our own steel manufacturing
- 3. we provide custom materials for customers
- 4. we have a professional team to provide on-site training
- 5. with a number of well-known shipping, air transport, express agent cooperation





Jiangsu Seton Industrial Technology Co,.Ltd



+86 15852715407



alen@setonindustrial.com



blade-industrial.com

No.99 Furong Mid Three Road, Xishan Economic Development Zone. Wixi.